

Bilston Church of England Primary School

We will aspire through our Christian beliefs and attitudes for all children in our care to flourish both academically and personally; develop respect for others and to reach out to their local and global communities, so, 'hand in hand together with faith we will strive to achieve all things...

'I am able to do all things through him (Jesus) who strengthens me.'

Calculation policy, KSI

The following pages show the *Power Maths* progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum. The consistent use of the CPA (concrete, pictorial, abstract) approach across *Power Maths* helps children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.

Adopted by Governors- Summer 2022

Curriculum Leader- M Johnson



KEY STAGE I

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of IOs and Is to develop their calculation strategies, especially in addition and subtraction.


Key language: whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

Addition and subtraction: Children first learn to connect addition and subtraction with counting, but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising IOs, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year I, when faced with $15 - 3$ and $15 - 13$, they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods. In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.	Multiplication and division: Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and IOs. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division. They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation. In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations. Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and IO times-tables and how they are related to counting.	Fractions: In Year I, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole. In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.
	Year I	
Concrete	Pictorial	Abstract



Year I Addition	Counting and adding more Children add one more person or object to a group to find one more.	Counting and adding more Children add one more cube or counter to a group to represent one more.	Counting and adding more Use a number line to understand how to link counting on with finding one more.
			one more 0 1 2 3 4 5 6 7 8 9 10
		One more than 4 is 5.	One more than 6 is 7. 7 is one more than 6.
			Learn to link counting on with adding more than one. 0 1 2 3 4 5 6 7 8 9 10 5 + 3 = 8
	Understanding part-part-whole relationship Sort people and objects into parts and understand the relationship with the whole.	Understanding part-part-whole relationship Children draw to represent the parts and understand the relationship with the whole. The parts are I and 5. The whole is 6.	Understanding part-part-whole relationship Use a part-whole model to represent the numbers. 10 6 4 6 + 4 = 106 + 4 = 10
	Knowing and finding number bonds within IO Break apart a group and put back together to find and form number bonds.	Knowing and finding number bonds within 10 Use five and ten frames to represent key number bonds.	Knowing and finding number bonds within IO Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero.








Year I Subtraction	Counting back and taking away Children arrange objects and remove to find how many are left.	· Counting back and taking away Children draw and cross out or use counters to represent objects from a problem.	9 10 11 12 13 9 + 4 = 13 Counting back and taking away Children count back to take away and use a number line or number track to support the method.
	Bridging the IO using number bonds Children use a bead string to complete a IO and understand how this relates to the addition. 7 add 3 makes IO. So, 7 add 5 is IO and 2 more.	Bridging the IO using number bonds Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to IO.	Bridging the 10 using number bonds Use a part-whole model and a number line to support the calculation.
	2 + 3 = 5 12 + 3 = 15	2 + 3 = 5 12 + 3 = 15	3 + 5 = 8 So, 13 + 5 = 18
	Adding the Is Children use bead strings to recognise how to add the Is to find the total efficiently.	Adding the Is Children represent calculations using ten frames to add a teen and Is.	7 + 5 = Adding the Is Children recognise that a teen is made from a 10 and some Is and use their knowledge of addition within 10 to work efficiently.
	8 on 9(10(11)	7 on the bus	







8 is 2 more than 6. 6 is 2 less than 8. The difference between 8 and 6 is 2.	5 - 4 = 1 The difference between 5 and 4 is 1.	10 - 4 = 6 The difference between 10 and 6 is 4.
Subtraction within 20 Understand when and how to subtract Is efficiently.	Subtraction within 20 Understand when and how to subtract Is efficiently.	Subtraction within 20 Understand how to use knowledge of bonds within 10 to subtract efficiently.
Use a bead string to subtract 1s efficiently. 5 - 3 = 2 15 - 3 = 12	6 + 3 = 2 $15 - 3 = 12$	5 - 3 = 2 15 - 3 = 12
Subtracting IOs and Is For example: 18 – 12 Subtract 12 by first subtracting the 10, then the remaining 2. First subtract the 10, then take away 2.	Subtracting IOs and Is For example: 18 – 12 Use ten frames to represent the efficient method of subtracting 12.	Subtracting IOs and Is Use a part-whole model to support the calculation. 14 10 14 $19 - 14$ $19 - 10 = 9$ $9 - 4 = 5$ So, $19 - 14 = 5$
Subtraction bridging 10 using number bonds For example: 12 – 7 Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.	Subtraction bridging IO using number bonds Represent the use of bonds using ten frames.	Subtraction bridging 10 using number bonds Use a number line and a part-whole model to support the method. 13 – 5



	7 is 2 and 5, so I take away the 2 and then the 5.	For 13 – 5, 1 take away 3 to make 10, then take away 2 to make 8.	5 2 3 -2 -3 5 6 7 8 9 10 11 12 13
Year I Multiplication	Recognising and making equal groups Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal. A B C C	Recognising and making equal groups Children draw and represent equal and unequal groups.	Describe equal groups using words Three equal groups of 4. Four equal groups of 3.
	Finding the total of equal groups by counting in 2s, 5s and IOs There are 5 pens in each pack 510152025303540	Finding the total of equal groups by counting in 2s, 5s and IOs IOO squares and ten frames support counting in 2s, 5s and IOs. I $2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9 \ 10 \ 11 \ 12 \ 13 \ 14 \ 15 \ 16 \ 17 \ 18 \ 19 \ 20 \ 21 \ 22 \ 23 \ 24 \ 25 \ 26 \ 27 \ 28 \ 29 \ 30 \ 31 \ 32 \ 33 \ 34 \ 35 \ 36 \ 37 \ 38 \ 39 \ 40 \ 41 \ 42 \ 43 \ 44 \ 45 \ 46 \ 47 \ 48 \ 49 \ 50 \ 50 \ 50 \ 50 \ 50 \ 50 \ 50 \ 5$	Finding the total of equal groups by counting in 2s, 5s and 10s Use a number line to support repeated addition through counting in 2s, 5s and 10s.
Year I Division	Grouping Learn to make equal groups from a whole and find how many equal groups of a certain size can be made. Sort a whole set people and objects into equal groups.	Cirouping Represent a whole and work out how many equal groups. There are 10 in total.	Grouping Children may relate this to counting back in steps of 2, 5 or 10.



There are 10 children altogether. There are 2 in each group. There are 5 groups.	There are 5 in each group. There are 2 groups.	
Sharing Share a set of objects into equal parts and work out how many are in each part.	Sharing Sketch or draw to represent sharing into equal parts. This may be related to fractions.	Sharing 10 shared into 2 equal groups gives 5 in each group.



	Year 2			
	Concrete	Pictorial	Abstract	
Year 2 Addition				
Understanding IOs and Is	Group objects into IOs and Is.	Understand IOs and Is equipment, and link with visual representations on ten frames.	Represent numbers on a place value grid, using equipment or numerals. Tens Ones 3 2 Tens Ones 4 3	
Adding IOs	Use known bonds and unitising to add IOs. Where $f(x) = 7$. So, 1 know that 4 tens add 3 tens is 7 tens.	Use known bonds and unitising to add IOs. * $*$ $*$ $*$ $*$ $*$ $*$ $*$ $*$ $*$	Use known bonds and unitising to add IOs. $\begin{array}{r} 7\\ \hline \\ 4\\ \hline \\ 3\\ \hline \\ 4+3=\end{array}$ $\begin{array}{r} \\ ++3=7\\ +\ tens+3\ tens=7\ tens\\ +0+30=70\end{array}$	
Adding a I-digit number to a	Add the Is to find the total. Use known bonds within IO.	Add the Is.	Add the Is.	

2-digit number not bridging a IO	4/ is 4 tens and 1 one. 4/ add 6 ones is 4 tens and 7 ones.	+	Understand the link between counting on and using known number facts. Children should be encouraged to use known number bonds to improve efficiency and accuracy. 30 31 32 33 34 35 36 37 38 39 40
	This can also be done in a place value grid.		This can be represented horizontally or vertically. 34 + 5 = 39 or T 0 4 5 q
Adding a I-digit number to a 2-digit number bridging IO	Complete a 10 using number bonds. + + + + + + + + + + + + + + + + + + +	Complete a 10 using number bonds.	Complete a 10 using number bonds. 7 5 2 $+5$ $+2$ 43 44 45 46 47 48 49 50 51 52 53 $7 = 5 + 2$ $45 + 5 + 2 = 52$
Adding a I-digit number to a 2-digit number using exchange	Exchange 10 ones for 1 ten.	Exchange 10 ones for 1 ten.	Exchange 10 ones for 1 ten.



Adding a multiple of 10 to a 2-digit number	TOImage: Second state of the second state	T O CONTRACTOR OF THE STREET	$\frac{T}{2} = \begin{pmatrix} 0 \\ 2 \\ 4 \\ 8 \\ 3 \\ 2 \\ 1 \end{pmatrix}$ Add the IOs and then recombine. 37 + 20 = ? 30 + 20 = 50 50 + 7 = 57 37 + 20 = 57
Adding a multiple of 10 to a 2-digit number using columns	Add the IOs using a place value grid to support.	71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 Add the IOs using a place value grid to support.	Add the IOs represented vertically. Children must understand how the method relates to unitising of IOs and place value.



	T O T O T O T O T O T O T O T O	TO PO PO PO PO PO PO PO PO PO P	$\begin{array}{c} T & O \\ I & 6 \\ 3 & 0 \\ 4 & 6 \end{array}$ $\begin{array}{c} 1 + 3 = 4 \\ 1 \text{ ten } + 3 \text{ tens } = 4 \text{ tens} \\ 16 + 30 = 46 \end{array}$
Adding two 2-digit numbers	Add the IOs and Is separately. Add the IOs and Is separately. 5 + 3 = 8 There are 8 ones in total. 3 + 2 = 5 There are 5 tens in total. 35 + 23 = 58	Add the IOs and Is separately. Use a part-whole model to support. 32 + 11 + 132 + 10 = 42 + 10 = 42 + 12 = 43 $32 + 11 = 43$	Add the IOs and the Is separately, bridging IOs where required. A number line can support the calculations. $\frac{+10 + 10 + 3 + 2}{17} + \frac{T}{2.5}$ $\frac{17}{17} + 25$
Adding two 2-digit numbers using a place value grid	Add the Is. Then add the IOs.		Add the Is. Then add the IOs.




	Tens Ones (1) (1) (1) <td< th=""><th>$\begin{array}{c} T \\ \frac{T}{3} \\ 2 \\ + \\ 4 \\ 6 \\ \hline T \\ 0 \\ 3 \\ 2 \\ + \\ 1 \\ 4 \\ 4 \\ 6 \\ \end{array}$</th></td<>	$ \begin{array}{c} T \\ \frac{T}{3} \\ 2 \\ + \\ 4 \\ 6 \\ \hline T \\ 0 \\ 3 \\ 2 \\ + \\ 1 \\ 4 \\ 4 \\ 6 \\ \end{array} $
Adding two 2-digit numbers with exchange	Add the Is. Exchange IO ones for a ten. Then add the IOs. Tens Ones 3 6 4 7 7 7 7 7 7 7 7 7 7 7 7 7	Add the Is. Exchange IO ones for a ten. Then add the IOs. T = O = O = O = O = O = O = O = O = O =
Year 2 Subtraction		



Subtracting multiples of IO	Use known number bonds and unitising to subtract multiples of 10.	Use known number bonds and unitising to subtract multiples of IO.	Use known number bonds and unitising to subtract multiples of 10.
	Q Q X X X X X X X	I00 30	2 5 20 50
	8 subtract 6 is 2. So, 8 tens subtract 6 tens is 2 tens.	10 – 3 = 7 So, 10 tens subtract 3 tens is 7 tens.	7 tens subtract 5 tens is 2 tens. 70 – 50 = 20
Subtracting a single- digit number	Subtract the Is. This may be done in or out of a place value grid.	Subtract the Is. This may be done in or out of a place value grid.	Subtract the Is. Understand the link between counting back and subtracting the Is using known bonds.
			<u> </u>
		T O	$\begin{array}{c} 3 q \\ - 3 \\ \hline 3 6 \\ \hline 39 - 3 = 6 \\ 39 - 3 = 36 \end{array}$
Subtracting a single- digit number	Bridge 10 by using known bonds.	Bridge 10 by using known bonds.	Bridge 10 by using known bonds.
bridging 10			-4 -4 16 17 18 19 20 21 22 23 24 25 26
	35 – 6 I took away 5 counters, then I more.	35 – 6 First, I will subtract 5, then I.	24 - 6 = ? 24 - 4 - 2 = ?







Power Maths © Pearson 2019

Subtracting a 2-digit number using place value and columns	Subtract the Is. Then subtract the IOs. This may be done in or out of a place value grid. T O	Subtract the Is. Then subtract the IOs.	Using column subtraction, subtract the ls. Then subtract the IOs. TO 45 -12 3 TO 45 -12 33
Subtracting a 2-digit number with exchange		Exchange I ten for IO ones. Then subtract the Is. Then subtract the IOs. Tens Ones Tens Ones Tens Ones Tens Ones Tens Ones Tens Ones Tens Ones	Using column subtraction, exchange I ten for 10 ones. Then subtract the Is. Then subtract the IOs. $ \frac{T \ O}{4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $ $ \frac{T \ O}{3 \ 4 \ 5} - 2 \ 7 $

Year 2 Multiplication			
Equal groups and repeated addition	Recognise equal groups and write as repeated addition and as multiplication.	Recognise equal groups using standard objects such as counters and write as repeated addition and multiplication. 3 groups of 5 15 in total	Use a number line and write as repeated addition and as multiplication. 0 5 10 15 5 + 5 + 5 = 15 $3 \times 5 = 15$
Using arrays to represent multiplication and support understanding	Understand the relationship between arrays, multiplication and repeated addition.	Understand the relationship between arrays, multiplication and repeated addition.	Understand the relationship between arrays, multiplication and repeated addition. 0 5 10 15 20 25 $5 \times 5 = 25$
Understanding commutativity	Use arrays to visualise commutativity. I can see 6 groups of 3. I can see 3 groups of 6.	Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication. This is 2 groups of 6 and also 6 groups of 2.	Use arrays to visualise commutativity. $\begin{array}{c} \bullet \bullet \bullet \bullet \bullet \\ \bullet \bullet \\ \bullet \bullet \bullet \\ \bullet \bullet \\ \bullet \bullet \bullet \\ \bullet \\ \bullet \bullet \\ \bullet \\ \bullet \bullet \\ \bullet$







Grouping equally	Understand how to make equal groups from a whole.	Understand the relationship between grouping and the division statements.	Understand how to relate division by grouping to repeated subtraction.
	8 divided into 4 equal groups. There are 2 in each group.	$12 \div 3 = 4$ $12 \div 4 = 3$ $12 \div 6 = 2$ $12 \div 2 = 6$	12 divided into groups of 3.
			There are 4 groups.
Using known times- tables to solve divisions	Understand the relationship between multiplication facts and division.	Link equal grouping with repeated subtraction and known times-table facts to support division.	Relate times-table knowledge directly to division. I × I0 = I0 2 × I0 = 20
		40 40 divided by 4 is 10. Use a bar model to support understanding of the link	$3 \times 10 = 30$ $4 \times 10 = 40$ $5 \times 10 = 50$ $6 \times 10 = 60$ $7 \times 10 = 70$ $8 \times 10 = 80$ I used the 10 times-table to help me. $3 \times 10 = 30.$
	4 groups of 5 cars is 20 cars in total. 20 divided by 4 is 5.	between times-table knowledge and division. 60 10 10	know that 3 groups of 10 makes 30, so know that 30 divided by 10 is 3. 3 × 10 = 30 so 30 ÷ 10 = 3